

Package ‘BINCOR’

February 24, 2026

Type Package

Title Estimate the Correlation Between Two Irregular Time Series

Version 0.2.1

Copyright Authors and file inst/COPYRIGHTS

Maintainer Josué M. Polanco-Martínez <josue.m.polanco@gmail.com>

Imports pracma

Description Estimate the correlation between two irregular time series that are not necessarily sampled on identical time points. This program is also applicable to the situation of two evenly spaced time series that are not on the same time grid. 'BINCOR' is based on a novel estimation approach proposed by Mudelsee (2010, 2014) to estimate the correlation between two climate time series with different timescales. The idea is that autocorrelation (AR1 process) allows to correlate values obtained on different time points. 'BINCOR' contains four functions: `bin_cor()` (the main function to build the binned time series), `plot_ts()` (to plot and compare the irregular and binned time series), `cor_ts()` (to estimate the correlation between the binned time series) and `ccf_ts()` (to estimate the cross-correlation between the binned time series). A description of the method and package is provided in Polanco-Martínez et al. (2019), <[doi:10.32614/RJ-2019-035](https://doi.org/10.32614/RJ-2019-035)>.

License GPL (>= 2)

Encoding UTF-8

LazyData true

NeedsCompilation no

Repository CRAN

Date/Publication 2026-02-24 14:50:15 UTC

Author Josué M. Polanco-Martínez [aut, cph, cre] (ORCID: <<https://orcid.org/0000-0001-7164-0185>>),
Mikko Korpela [ctb, trl],
Manfred Mudelsee [ctb] (ORCID: <<https://orcid.org/0000-0002-2364-9561>>)

Contents

BINCOR-package	2
--------------------------	---

bin_cor	3
ccf_ts	6
cor_ts	8
ENSO.dat	10
ID31.dat	11
ID32.dat	11
NHSST.dat	12
plot_ts	13
redfitMinls	16
redfitTauest	17

Index	19
--------------	-----------

BINCOR-package	<i>Estimate the Correlation Between Two Irregular Time Series</i>
----------------	---

Description

'BINCOR' estimates the correlation between two irregular time series that are not necessarily sampled on identical time points. This program is also applicable to the situation of two evenly spaced time series that are not on the same time grid. 'BINCOR' is based on a novel estimation approach proposed by Mudelsee (2010, 2014) to estimate the correlation between two climate time series with different timescales. The idea is that autocorrelation (AR1 process) allows to correlate values obtained on different time points. The outputs (plots) can be displayed in the screen or can be saved as PNG, JPG or PDF formats. The 'BINCOR' package also provides two examples with real data: instrumental ([ENSO.dat](#) and [NHSST.dat](#) data sets) and paleoclimatic ([ID31.dat](#) and [ID32.dat](#) data sets) time series to exemplify its use. A description of the method and package is provided in [Polanco-Martínez et al. \(2019\)](#), <URL: [doi:10.32614/RJ2019035](https://doi.org/10.32614/RJ2019035)>.

Details

Package:	BINCOR
Type:	Package
Version:	0.2.1
Date:	2026-02-23
License:	GPL (>= 2)
LazyLoad:	yes

BINCOR package contains four functions: the [bin_cor](#) (the main function to build the binned time series), the [plot_ts](#) (to plot and compare the irregular and binned time series), the [cor_ts](#) (to estimate the correlation between the binned time series) and the [ccf_ts](#) (to estimate the cross-correlation between the binned time series).

Note

Dependencies: *dplR* and *pracma*.

Author(s)

Josué M. Polanco-Martínez (a.k.a. jomopo).
Dept. of Statistics, Fac. of Sciences, University of Salamanca, SPAIN.
Web1: <https://scholar.google.es/citations?user=8djLIhcAAAAJ&hl=en>.
Web2: https://www.researchgate.net/profile/Josue_Polanco-Martinez.
Email: <josue.m.polanco@gmail.com>

Acknowledgement:

JMPM was funded by a Basque Government post-doctoral fellowship (2016-2018).

References

Borchers, H. W. (2015). *pracma: Practical Numerical Math Functions*. R package version 1.8.8, The Comprehensive R Archive Network (CRAN), <URL: <https://CRAN.R-project.org/package=pracma>>.

Bunn, A., Korpela, M., Biondi, F., Campelo, F., Mérian, P., Qeadan, F., Zang, C., Buras, A., Cecile, J., Mudelsee, M., Schulz, M. (2015). *Dendrochronology Program Library in R*, R package version 1.6.3, The Comprehensive R Archive Network (CRAN), <URL: <https://CRAN.R-project.org/package=dplR>>.

Mudelsee, M. (2010). *Climate Time Series Analysis: Classical Statistical and Bootstrap Methods*. Springer.

Mudelsee, M. (2014). *Climate Time Series Analysis: Classical Statistical and Bootstrap Methods*, Second Edition. Springer.

Polanco-Martínez, J.M., Medina-Elizalde, M.A., Sánchez Goñi, M.F., M. Mudelsee. (2019). BIN-COR: an R package to estimate the correlation between two unevenly spaced time series. *R Journal*, **11(1)**, 170-184, <URL: [doi:10.32614/RJ2019035](https://doi.org/10.32614/RJ2019035)>.

bin_cor

Binned correlation

Description

The `bin_cor` function convert an irregular time series to a binned one and its parameters are described in the following lines.

Usage

```
bin_cor(ts1, ts2, FLAGTAU=3, ofilename)
```

Arguments

ts1, ts2	ts1 and ts2 are the unevenly spaced time series.
FLAGTAU	FLAGTAU defines the method used to estimate the persistence or memory of the unevenly spaced time series. Options (by default is 3): If 1 then $est_tau = tau_x + tau_y$ [Eq. 7.44, Mudelsee (2010, 2014)]. If 2 then $est_tau = \max(tau_x, tau_y)$ [Eq. 7.45, Mudelsee (2010, 2014)]. If 3 then $est_tau = dist_x_y / \ln(a_x_y_est)$ [Eq. 7.48, Mudelsee (2010, 2014).]
ofilename	The output filename (ASCII format) containing the binned time series.

Details

The `bin_cor` function convert an irregular times series to a binned (regular) time series and depends on the R `dplr` package to carry out this task. `dplr` (`redfitTauest` function) estimate the persistence contained in the irregular climate time series by means of the method proposed by Mudelsee (2002).

Value

A list of 16 elements:

Binned_time_series

An object containing the binned time series.

Auto._cor._coef._ts1

The autocorrelation for the binned time series number 1.

Persistence_ts1

The persistence or memory for the binned time series number 1.

Auto._cor._coef._ts2

The autocorrelation for the binned time series number 2.

Persistence_ts2

The persistence or memory for the binned time series number 2.

bin width

The bin width.

Number_of_bins

The number of bins.

Average spacing

The mean value of the times for the binned time series.

VAR. ts1

Variance of ts1

VAR. bin ts1

Variance of the binned ts1.

VAR. ts2

Variance for ts2.

VAR. bin ts2

Variance of the binned ts2.

VAR. ts1 - VAR bints1

Variance of ts1 minus variance of the binned ts1.

VAR. ts2 - VAR bints2

Variance of ts2 minus variance of the binned ts2.

% of VAR. lost ts1

Percentage of variance lost for ts1.

% of VAR. lost ts2

Percentage of variance lost for ts2.

Note

Needs *dplR* (*redfitTauest* function) to estimate the persistence contained in the irregular time series by means of the method of Mudelsee (2002). Please, look at the code *tauest_dplR.R* in the directory R of our BINCOR package.

Author(s)

Josué M. Polanco-Martínez (a.k.a. jomopo).
 Dept. of Statistics, Fac. of Sciences, University of Salamanca, SPAIN.
 Web1: <https://scholar.google.es/citations?user=8djLIhcAAAAJ&hl=en>.
 Web2: https://www.researchgate.net/profile/Josue_Polanco-Martinez.
 Email: <josue.m.polanco@gmail.com>

References

Bunn, A., Korpela, M., Biondi, F., Campelo, F., Mérian, P., Qeadan, F., Zang, C., Buras, A., Cecile, J., Mudelsee, M., Schulz, M. (2015). Dendrochronology Program Library in R. R package version 1.6.3. <URL: <https://CRAN.R-project.org/package=dplR>>.

Mudelsee, M. (2002). TAUEST: A computer program for estimating persistence in unevenly spaced weather/climate time series. *Computers & Geosciences*, **28**(1), 69–72. <URL: [doi:10.1016/S0098-3004\(01\)000413](https://doi.org/10.1016/S0098-3004(01)000413)>.

Mudelsee, M. (2010). *Climate Time Series Analysis: Classical Statistical and Bootstrap Methods*. Springer.

Mudelsee, M. (2014). *Climate Time Series Analysis: Classical Statistical and Bootstrap Methods*, Second Edition. Springer.

Polanco-Martínez, J.M., Medina-Elizalde, M.A., Sánchez Goñi, M.F., M. Mudelsee. (2019). BINCOR: an R package to estimate the correlation between two unevenly spaced time series. *R Journal*, **11**(1), 170-184, <URL: [doi:10.32614/RJ2019035](https://doi.org/10.32614/RJ2019035)>.

Examples

```
#####
#:: Figure 1 D (Polanco-Martínez et al. (2019) (mimeo)).
#####
library("BINCOR")

#####
#:: Loading the time series under analysis: example 1 (ENSO vs. NHSST)
#####
data(ENSO)
data(NHSST)

#####
# Testing our bin_cor function
```

```
#####
bincor.tmp <- bin_cor(ENSO.dat, NHSST.dat, FLAGTAU=3, "output_ENSO_NHSST.tmp")
binnedts   <- bincor.tmp$Binned_time_series
```

ccf_ts

Cross-correlation

Description

The `ccf_ts` function estimates and plots the cross-correlation between the binned time series. `ccf_ts` has an option to remove the linear trend of the time series under analysis (other pre-processing methods could be used) and contains several parameters that are described in the following lines.

Usage

```
ccf_ts(bints1, bints2, lagmax=NULL, ylima=-1, ylimb=1, rmltrd="N", RedL=T,
       device="screen", Hfig, Wfig, Hpdf, Wpdf, resfig, ofilename)
```

Arguments

<code>bints1, bints2</code>	The <code>bints1</code> and <code>bints2</code> are the binned time series.
<code>lagmax</code>	This parameter indicates the maximum lag for which the cross-correlation is calculated (its value depends on the length of the data set).
<code>ylima, ylimb</code>	This parameters define the extremes of the range in which the CCF will be plotted.
<code>rmltrd</code>	This is the option used to remove the linear trend in the time series under study (by default the linear trend is not removed, but it can be activated with the option "Y" or "y").
<code>RedL</code>	<code>RedL</code> plots a right red line to highlight the correlation coefficient at the lag-0 (the default option is TRUE).
<code>device</code>	The type of the output device (by default the option is "screen", and the other options are "jpg", "png" and "pdf") for the scatter plot of the binned time series.
<code>Hfig</code>	The height for the CCF plot in "jpg" or "png" format.
<code>Wfig</code>	The width for the CCF plot in "jpg" or "png" format.
<code>Hpdf</code>	The height for the CCF plot in "pdf" format.
<code>Wpdf</code>	The width for the CCF plot in "pdf" format.
<code>resfig</code>	<code>resfig</code> is the plot resolution in "ppi" (by default R does not record a resolution in the image file, except for BMP) for the CCF plot ("jpg" or "png" formats), an adequate value could be 150 ppi.
<code>ofilename</code>	The output filename (CCF plot) for the CCF estimated of the binned time series.

Details

The `ccf_ts` estimate the cross-correlation between two binned time series by means of the R native function `ccf` (package:stats).

Value

Output: an object of the form `ccf` containing the correlation coefficients for the defined number of lags (`lagmax`) and the statistical significance.

Author(s)

Josué M. Polanco-Martínez (a.k.a. jomopo).
 Dept. of Statistics, Fac. of Sciences, University of Salamanca, SPAIN.
 Web1: <https://scholar.google.es/citations?user=8djLIhcAAAAJ&hl=en>.
 Web2: https://www.researchgate.net/profile/Josue_Polanco-Martinez.
 Email: <josue.m.polanco@gmail.com>

References

Polanco-Martínez, J.M., Medina-Elizalde, M.A., Sánchez Goñi, M.F., M. Mudelsee. (2019). BIN-COR: an R package to estimate the correlation between two unevenly spaced time series. *R Journal*, **11(1)**, 170-184, <URL: [doi:10.32614/RJ2019035](https://doi.org/10.32614/RJ2019035)>.

Examples

```
#####
#:: Figure 5 (Polanco-Martínez et al. (2019) (mimeo)).
#####
library("BINCOR")
library("pracma")

#####
#:: Loading the time series under analysis: example 2 (pollen ACER)
#####
data(MD04_2845_siteID31)
data(MD95_2039_siteID32)

#####
# Computing the binned time series though our bin_cor function
#####
bincor.tmp <- bin_cor(ID31.dat, ID32.dat, FLAGTAU=3, "salida_ACER_ABRUPT.tmp")
binnedts <- bincor.tmp$Binned_time_series

# To avoid NA's values
bin_ts1 <- na.omit(bincor.tmp$Binned_time_series[,1:2])
bin_ts2 <- na.omit(bincor.tmp$Binned_time_series[,c(1,3)])

#####
# Testing our ccf_ts function
#####
# Screen
```

```

ccf_ts(bin_ts1, bin_ts2, RedL=TRUE, rmltrd="y")

# PDF format
ccf_ts(bin_ts1, bin_ts2, RedL=TRUE, rmltrd="y", device="pdf", Hpdf=6,
  Wpdf=9, resfig=300, ofilename="ccf_ID31_ID32_res")

# JPG format
ccf_ts(bin_ts1, bin_ts2, RedL=TRUE, rmltrd="y", device="jpg",
  Hfig=900, Wfig=1200, resfig=150, ofilename="ccf_ID31_ID32_res")

```

cor_ts

Bi-variate correlation

Description

The `cor_ts` function estimates the correlation between the binned time series. `cor_ts` estimates three types of correlation coefficients: Pearson's correlation, Spearman's and Kendall's rank correlations by means of the R native function `cor.test` (package:stats). The `cor_ts` function has an option to remove the linear trend of the time series under analysis (other pre-processing methods could be used) and its parameters are described in the following lines.

Usage

```

cor_ts(bints1, bints2, varnamets1="NULL", varnamets2="NULL", KoCM, rmltrd="N",
  device="screen", Hfig, Wfig, Hpdf, Wpdf, resfig, ofilename)

```

Arguments

<code>bints1, bints2</code>	The <code>bints1</code> and <code>bints2</code> are the binned time series.
<code>varnamets1, varnamets2</code>	<code>varnamets[1][2]</code> are the names of the variables under study.
<code>KoCM</code>	<code>KoCM</code> indicates the correlation estimator: <code>pearson</code> for Pearson (the option by default), <code>spearman</code> for Spearman and <code>kendall</code> for Kendall.
<code>rmltrd</code>	This is the option used to remove the linear trend in the time series under study (by default the linear trend is not removed, but it can be activated with the option "Y" or "y").
<code>device</code>	The type of the output device (by default the option is "screen", and the other options are "jpg", "png" and "pdf") for the scatter plot for the binned time series.
<code>Hfig</code>	The height for the scatter plot in "jpg" or "png" format.
<code>Wfig</code>	The width for the scatter plot in "jpg" or "png" format.
<code>Hpdf</code>	The height for the scatter plot in "pdf" format.
<code>Wpdf</code>	The width for the scatter plot in "pdf" format.
<code>resfig</code>	<code>resfig</code> is the resolution in "ppi" (by default R does not record a resolution in the image file, except for BMP) for the scatter plot ("jpg" or "png" formats), an adequate value could be 150 ppi.
<code>ofilename</code>	The output filename for the scatter plot of the binned time series.

Details

The `cor_ts` estimate the correlation between two binned time series by means of the R native function `cor.test` (package:stats).

Value

Output: an object of the form `cor.test` containing the correlation coefficient and the statistical significance.

Output plot: *screen or 'ofilename + .png, .jpg or .pdf'*.

Author(s)

Josué M. Polanco-Martínez (a.k.a. jomopo).

Dept. of Statistics, Fac. of Sciences, University of Salamanca, SPAIN.

Web1: <https://scholar.google.es/citations?user=8djLIhcAAAAJ&hl=en>.

Web2: https://www.researchgate.net/profile/Josue_Polanco-Martinez.

Email: <josue.m.polanco@gmail.com>

References

Mudelsee, M. (2010). *Climate Time Series Analysis: Classical Statistical and Bootstrap Methods*. Springer.

Mudelsee, M. (2014). *Climate Time Series Analysis: Classical Statistical and Bootstrap Methods, Second Edition*. Springer.

Polanco-Martínez, J.M., Medina-Elizalde, M.A., Sánchez Goñi, M.F., M. Mudelsee. (2019). *BINCOR: an R package to estimate the correlation between two unevenly spaced time series*. *R Journal*, **11(1)**, 170-184, <URL: [doi:10.32614/RJ2019035](https://doi.org/10.32614/RJ2019035)>.

Examples

```
#####
#:: Figure 2 (Polanco-Martínez et al. (2019) (mimeo)).
#####
library("BINCOR")
library("pracma")

#####
#:: Loading the time series under analysis: example 1 (ENSO vs. NHSST)
#####
data(ENSO)
data(NHSST)

#####
# Computing the binned time series though our bin_cor function
#####
bincor.tmp <- bin_cor(ENSO.dat, NHSST.dat, FLAGTAU=3, "output_ENSO_NHSST.tmp")
```

```

binnedts      <- bincor.tmp$Binned_time_series

#####
# Testing our cor_ts function: cor_ts.R
#####
# screen (scatterplot) and Pearson
cor_ts(binnedts[,1:2], binnedts[,c(1,3)], "ENSO-Nino3", "SST NH Mean",
  KoCM="pearson", rmltrd="y")

# PDF format (scatterplot) and Kendall
cor_ts(binnedts[,1:2], binnedts[,c(1,3)], "ENSO-Nino3", "SST NH Mean",
  KoCM="kendall", rmltrd="y", device="pdf", Hpdf=6, Wpdf=9, resfig=300,
  ofilename="scatterplot_ENSO_SST")

# JPG format (scatterplot) and Spearman
cor_ts( binnedts[,1:2], binnedts[,c(1,3)], "ENSO-Nino3", "SST NH Mean",
  KoCM="spearman", rmltrd="y", device="jpg", Hfig=900, Wfig=1200,
  resfig=150, ofilename="scatterplot_ENSO_SST")

```

ENSO.dat

Equatorial Pacific SST anomalies from El Niño 3 region.

Description

The data set [ENSO.dat](#) contains an irregular time series (ENSO) with 125 data points and an average temporal spacing of 1.24 years covering the time interval 1850-2006. The ENSO data set come from Mann et al. (2009). The data sets can be obtained from the following URL http://www.meteo.psu.edu/holocene/public_html/supplements/MultiproxySpatial09/results/ (NINO3 full).

Usage

```
data(ENSO)
```

Format

One file in ASCII format containing 125 elements and two variables (time and ENSO)

Source

http://www.meteo.psu.edu/holocene/public_html/supplements/MultiproxySpatial09/results/

Mann, M. E., Zhang, Z., Rutherford, S., Bradley, R. S., Hughes, M. K., Shindell, D., Ammann, C., Faluvegi, G., Ni, F. (2009). Global signatures and dynamical origins of the Little Ice Age and Medieval Climate Anomaly. *Science*, **326**(5957), 1256-1260. <URL: [doi:10.1126/science.1177303](https://doi.org/10.1126/science.1177303)>.

ID31.dat	<i>Unevenly-spaced pollen record from the marine sediments core (MD04-2845) collected on the southwestern European margin.</i>
----------	--

Description

The data set [ID31.dat](#) contains one paleoclimate (pollen percentages) time series spanning a time interval between 73,000 and 15,000 years before present (BP), thus covering the last glacial period (LGP). This data set come from a global pollen and charcoal database (Sánchez Goñi et al., 2017) developed in the framework of the INQUA International Focus Group ACER (Abrupt Climate Changes and Environmental Responses). The paleoclimate time series come from the site MD04-2845 and contains 77 elements (Sánchez Goñi et al., 2008, 2017).

Usage

```
data(MD04_2845_siteID31)
```

Format

One file in ASCII format containing 77 elements and two variables (time and pollen percentages).

Source

<https://doi.pangaea.de/10.1594/PANGAEA.870867>

Sánchez Goñi, M. F., Landais, A., Fletcher, W. J., Naughton, F., Desprat, S., Duprat, J. (2008). Contrasting impacts of Dansgaard-Oeschger events over a western European latitudinal transect modulated by orbital parameters. *Quaternary Science Reviews*, **27(11)**, 1136-1151. <URL: [doi:10.1016/j.quascirev.2008.03.003](https://doi.org/10.1016/j.quascirev.2008.03.003)>.

Sánchez Goñi, M. F., Desprat, S., Daniiau, A.L., Bassinot, F. C., **Polanco Martínez, J. M.**, Harrison, S. P., Allen, J. R., Anderson, R. S., Behling, H., Bonnefille, R., et al. (2017). The ACER pollen and charcoal database: a global resource to document vegetation and fire response to abrupt climate changes during the last glacial period. *Earth System Science Data*, **9(2)**, 679-695. <URL: [doi:10.5194/essd96792017](https://doi.org/10.5194/essd96792017)>.

ID32.dat	<i>Unevenly-spaced pollen record from the marine sediments core (MD95-2039) collected on the southwestern European margin.</i>
----------	--

Description

The data set [ID32.dat](#) contains a paleoclimate (pollen percentages) time series spanning a time interval between 73,000 and 15,000 years before present (BP), thus covering the last glacial period (LGP). This data set come from a global pollen and charcoal database (Sánchez Goñi et al., 2017) developed in the framework of the INQUA International Focus Group ACER (Abrupt Climate Changes and Environmental Responses). The time series come from the site MD95-2039 and contains 141 elements (Roucoux et al., 2005; Sánchez Goñi et al., 2017).

Usage

```
data(MD95_2039_siteID32)
```

Format

One file in ASCII format containing and 141 elements and two variables (time and pollen percentages).

Source

<https://doi.pangaea.de/10.1594/PANGAEA.870867>

Roucoux, K., De Abreu, L., Shackleton, N., Tzedakis, P. (2005). The response of NW Iberian vegetation to North Atlantic climate oscillations during the last 65 kyr. *Quaternary Science Reviews*, **24(14)**, 1637-1653. <URL: [doi:10.1016/j.quascirev.2004.08.022](https://doi.org/10.1016/j.quascirev.2004.08.022)>.

Sánchez Goñi, M. F., Desprat, S., Daniiau, A.L., Bassinot, F. C., **Polanco Martínez, J. M.**, Harrison, S. P., Allen, J. R., Anderson, R. S., Behling, H., Bonnefille, R., et al. (2017). The ACER pollen and charcoal database: a global resource to document vegetation and fire response to abrupt climate changes during the last glacial period. *Earth System Science Data*, **9(2)**, 679-695. <URL: [doi:10.5194/essd96792017](https://doi.org/10.5194/essd96792017)>.

NHSST.dat

Northern Hemisphere (NH) sea surface temperature (SST) anomalies.

Description

The data set [NHSST.dat](#) contains an irregular time series (NH-SST) with 125 data points and an average temporal spacing of 1.24 years covering the time interval 1850-2006. The NH-SST data set come from HadCRUT3 (Brohan et al., 2006). The data sets can be obtained from the following URL http://www.meteo.psu.edu/holocene/public_html/supplements/MultiproxySpatial09/results/ (Northern Hemisphere full).

Usage

```
data(NHSST)
```

Format

One file in ASCII format containing 125 elements and two variables (time and NHSST)

Source

http://www.meteo.psu.edu/holocene/public_html/supplements/MultiproxySpatial09/results/

Brohan, P., Kennedy, J. J., Harris, I., Tett, S. F., Jones, P. D. (2006). Uncertainty estimates in regional and global observed temperature changes: A new data set from 1850. *Journal of Geophysical Research: Atmospheres*, **111(D12)**. <URL: [doi:10.1029/2005JD006548](https://doi.org/10.1029/2005JD006548)>.

plot_ts

Plot time series

Description

The `plot_ts` function plot and compare the irregular and the binned time series. `plot_ts` has several parameters that are described in the following lines.

Usage

```
plot_ts(ts1, ts2, bints1, bints2, varnamets1="", varnamets2="", colts1=1, colts2=1,
        colbints1=2, colbints2=2, ltyts1=1, ltyts2=1, ltybints1=2, ltybints2=2,
        device="screen", Hfig, Wfig, Hpdf, Wpdf, resfig, ofilename)
```

Arguments

ts1, ts2	ts1 and ts2 are the unevenly spaced time series.
bins1, bins2	The bins1 and bins2 are the binned time series.
varnamets1, varnamets2	varnamets[1][2] are the names of the variables under study.
colts1, colts2	colts[1][2] are the colours for the time series (irregular) under study (by default both curves are in black).
colbints1, colbints2	colbints[1][2] are the colours of the binned time series (by default both curves are in red).
ltyts1, ltyts2	ltyts[1][2] are the type of lines to be plotted for the irregular time series (by default is 1, i.e., solid). 1 = solid, 2 = dashed, 3 = dotted, 4 = dot-dashed, 5 = long-dashed, 6 = double-dashed.
ltybints1, ltybints2	ltybints[1][2] are the type of lines to be plotted for the binned time series (by default is 2, i.e., dashed). 1 = solid, 2 = dashed, 3 = dotted, 4 = dot-dashed, 5 = long-dashed, 6 = double-dashed.
device	The type of the output device (by default the option is "screen", and the other options are "jpg", "png" and "pdf").

Hfig	The height for the plot in “jpg” or “png” format.
Wfig	The width for the plot in “jpg” or “png” format.
Hpdf	The height for the plot in “pdf” format.
Wpdf	The width for the plot in “pdf” format.
resfig	<i>resfig</i> is the plot resolution in ‘ppi’ (by default R does not record a resolution in the image file, except for BMP), an adequate value could be 150 ppi.
ofilename	The output filename for the plot.

Details

The `plot_ts` function is used to plot the irregular vs. the binned time series and this function uses the native R function “plot” (package:graphics).

Value

Output:

Output plot: *screen or 'ofilename + .png, .jpg or .pdf'.*

Author(s)

Josué M. Polanco-Martínez (a.k.a. jomopo).

Dept. of Statistics, Fac. of Sciences, University of Salamanca, SPAIN.

Web1: <https://scholar.google.es/citations?user=8djLIhcAAAAJ&hl=en>.

Web2: https://www.researchgate.net/profile/Josue_Polanco-Martinez.

Email: <josue.m.polanco@gmail.com>

References

Polanco-Martínez, J.M., Medina-Elizalde, M.A., Sánchez Goñi, M.F., M. Mudelsee. (2019). BIN-COR: an R package to estimate the correlation between two unevenly spaced time series. *R Journal*, **11(1)**, 170-184, <URL: [doi:10.32614/RJ2019035](https://doi.org/10.32614/RJ2019035)>.

Examples

```
#####
#:: Figure 1 (Polanco-Martínez et al. (2019) (mimeo)).
#####
library("BINCOR")

#####
#:: Loading the time series under analysis: example 1 (ENSO vs. NHSST)
#####
data(ENSO)
data(NHSST)

#####
# Computing the binned time series though our bin_cor_function.R
#####
```

```

bincor.tmp <- bin_cor(ENSO.dat, NHSST.dat, FLAGTAU=3, "output_ENSO_NHSST.tmp")
binnedts <- bincor.tmp$Binned_time_series

#####
# Testing our plot_ts function
#####
# "Screen"
plot_ts(ENSO.dat, NHSST.dat, binnedts[,1:2], binnedts[,c(1,3)], "ENSO-Nino3",
        "SST NH Mean", colts1=1, colts2=2, colbints1=3, colbints2=4, device="screen")

# PDF format
plot_ts(ENSO.dat, NHSST.dat, binnedts[,1:2], binnedts[,c(1,3)], "ENSO-Nino3",
        "SST NH Mean", colts1=1, colts2=2, colbints1=3, colbints2=4, device="pdf",
        Hpdf=6, Wpdf=9, resfig=300, ofilename="plot_ts_RAW_BIN_enso_sst")

# PNG format
plot_ts(ENSO.dat, NHSST.dat, binnedts[,1:2], binnedts[,c(1,3)], "ENSO-Nino3",
        "SST NH Mean", colts1=1, colts2=2, colbints1=3, colbints2=4, device="png",
        Hfig=900, Wfig=1200, resfig=150, ofilename="plot_ts_RAW_BIN_enso_sst")

#####
#:: Figure 4 (Polanco-Martínez et al. (2019) (mimeo)).
#####

#####
#:: Loading the time series under analysis: example 2 (pollen ACER)
#####
data(MD04_2845_siteID31)
data(MD95_2039_siteID32)

#####
# Computing the binned time series though our bin_cor function
#####
bincor.tmp <- bin_cor(ID31.dat, ID32.dat, FLAGTAU=3, "salida_ACER_ABRUPT.tmp")
binnedts <- bincor.tmp$Binned_time_series

# To avoid NA's values
bin_ts1 <- na.omit(bincor.tmp$Binned_time_series[,1:2])
bin_ts2 <- na.omit(bincor.tmp$Binned_time_series[,c(1,3)])

#####
# Testing our plot_ts function: plot_ts.R
#####
# "Screen"
plot_ts(ID31.dat, ID32.dat, bin_ts1, bin_ts2, "MD04-2845 (Temp. forest)",
        "MD95-2039 (Temp. forest )", colts1=1, colts2=2, colbints1=3, colbints2=4,
        device="screen")

# PDF format
plot_ts(ID31.dat, ID32.dat, bin_ts1, bin_ts2, "MD04-2845 (Temp. forest)",
        "MD95-2039 (Temp. forest )", colts1=1, colts2=2, colbints1=3, colbints2=4,
        device="pdf", Hpdf=6, Wpdf=9, resfig=300, ofilename="ts_ACER_ABRUPT")

```

```
# PNG format
plot_ts(ID31.dat, ID32.dat, bin_ts1, bin_ts2, "MD04-2845 (Temp. forest)",
"MD95-2039 (Temp. forest )", colts1=1, colts2=2, colbints1=3, colbints2=4,
device="png", Hfig=900, Wfig=1200, resfig=150, ofilename="ts_ACER_ABRUPT")
```

redfitMinls

Minimization - least square

Description

The `redfitMinls` function is used by the `redfitTauest` function to calculate the persistence for unevenly spaced climate time series under study. `redfitTauest` is included in the *redfit* function of the R *dplr* package (Bunn et al. 2015).

Usage

```
redfitMinls(t, x)
```

Arguments

`t, x` `t` and `x` are the times and the variables for an unevenly spaced time series.

Details

The `redfitMinls` function minimize (optimize) by least squares to obtain some parameters of the AR1 model used to estimate the persistence through the method of Mudelsee (2002). More information about `redfitMinls` function can be found in Bunn et al. (2015) and Mudelsee (2002).

Note

Needs *dplr* to estimate the persistence contained in the irregular time series by means of the method of Mudelsee (2002). Please, for more details look at the code *tauest_dplr.R* in the directory R of our BINCOR package.

Author(s)

Mikko Korpela.
2013-2015 Aalto University, FINLAND.
Web: <https://github.com/mvkorpel>.
Email: <mvkorpel@iki.fi>

References

Bunn, A., Korpela, M., Biondi, F., Campelo, F., Mérian, P., Qeadan, F., Zang, C., Buras, A., Cecile, J., Mudelsee, M., Schulz, M. (2015). *Dendrochronology Program Library in R*, R package version 1.6.3, The Comprehensive R Archive Network (CRAN), <URL: <https://CRAN.R-project.org/package=dplR>>.

Mudelsee, M. (2002). TAUEST: A computer program for estimating persistence in unevenly spaced weather/climate time series. *Computers & Geosciences*, **28**(1), 69–72. <URL: [doi:10.1016/S0098-3004\(01\)000413](https://doi.org/10.1016/S0098-3004(01)000413)>.

Schulz, M., Mudelsee M. (2002). REDFIT: estimating red-noise spectra directly from unevenly spaced paleoclimatic time series. *Computers & Geosciences*, **28**(3), 421–426. <URL: [doi:10.1016/S00983004\(01\)000449](https://doi.org/10.1016/S00983004(01)000449)>.

Mudelsee, M. (2010). *Climate Time Series Analysis: Classical Statistical and Bootstrap Methods*. Springer.

Mudelsee, M. (2014). *Climate Time Series Analysis: Classical Statistical and Bootstrap Methods*, Second Edition. Springer.

redfitTauest	<i>Tauest</i>
--------------	---------------

Description

The `redfitTauest` function is used by `bin_cor` function to calculate the persistence for irregular climate time series under study. `redfitTauest` is included in the `redfit` function that come from the R `dplR` package (Bunn et al. 2015).

Usage

```
redfitTauest(t, x)
```

Arguments

`t, x` `t` and `x` are the times and the variables for an unevenly spaced time series.

Details

The `redfitTauest` function estimate the persistence of an irregular times series through the method of Mudelsee (2002). `redfitTauest` function is used by the `dplR` package to estimate the persistence contained in irregular climate time series. More information about `redfitTauest` function can be found in Bunn et al. (2015) and Mudelsee (2002).

Note

Needs *dplR* to estimate the persistence contained in the irregular time series by means of the method of Mudelsee (2002). Please, look at the code *tauest_dplR.R* in the directory R of our BINCOR package.

Author(s)

Mikko Korpela.
2013-2015 Aalto University, FINLAND.
Web: <https://github.com/mvkorpel>.
Email: <mvkorpel@iki.fi>

References

- Bunn, A., Korpela, M., Biondi, F., Campelo, F., Mérian, P., Qeadan, F., Zang, C., Buras, A., Cecile, J., Mudelsee, M., Schulz, M. (2015). *Dendrochronology Program Library in R*, R package version 1.6.3, The Comprehensive R Archive Network (CRAN), <URL: <https://CRAN.R-project.org/package=dplR>>.
- Mudelsee, M. (2002). TAUEST: A computer program for estimating persistence in unevenly spaced weather/climate time series. *Computers & Geosciences*, **28(1)**, 69–72. <URL: [doi:10.1016/S0098-3004\(01\)000413](https://doi.org/10.1016/S0098-3004(01)000413)>.
- Schulz, M., Mudelsee M. (2002). REDFIT: estimating red-noise spectra directly from unevenly spaced paleoclimatic time series. *Computers & Geosciences*, **28(3)**, 421–426. <URL: [doi:10.1016/S00983004\(01\)000449](https://doi.org/10.1016/S00983004(01)000449)>.
- Mudelsee, M. (2010). *Climate Time Series Analysis: Classical Statistical and Bootstrap Methods*. Springer.
- Mudelsee, M. (2014). *Climate Time Series Analysis: Classical Statistical and Bootstrap Methods*, Second Edition. Springer.

Index

- * **Bi-variate correlation**

- ccf_ts, 6

- cor_ts, 8

- * **Binned correlation**

- bin_cor, 3

- * **Correlation**

- ccf_ts, 6

- cor_ts, 8

- * **Memory**

- redfitMinls, 16

- redfitTaest, 17

- * **Persistence**

- redfitMinls, 16

- redfitTaest, 17

- * **Taest**

- redfitMinls, 16

- redfitTaest, 17

- * **bin_cor**

- bin_cor, 3

- * **bincor**

- bin_cor, 3

- * **cor_ts**

- ccf_ts, 6

- cor_ts, 8

- * **dataset1**

- NHSST.dat, 12

- * **dataset2**

- ENSO.dat, 10

- ID31.dat, 11

- ID32.dat, 11

- * **plot time series**

- plot_ts, 13

- * **plot_ts**

- plot_ts, 13

- * **plot**

- plot_ts, 13

bin_cor, 2, 3, 3, 4, 17

BINCOR (BINCOR-package), 2

BINCOR-package, 2

ccf_ts, 2, 6, 6, 7

cor_ts, 2, 8, 8, 9

ENSO.dat, 2, 10, 10

ID31.dat, 2, 11, 11

ID32.dat, 2, 11, 12

NHSST.dat, 2, 12, 12

plot_ts, 2, 13, 13, 14

redfitMinls, 16, 16

redfitTaest, 16, 17, 17